

# Sec. 5.1 R-E, Single-Family Residential Estate District

## 5.1.1 Description

The R-E, Single Family Residential Estate District is primarily intended to accommodate single-family detached dwelling units at a density of no more than one (1) dwelling unit three (3) acres. The low-density, large lot development patterns promoted by the R-E District are intended to help preserve the character of existing estate residential areas and help ensure conservation of environmental features, such as woodlands, stream corridors, steep slopes and ridge lines. The R-E District is also intended to serve as an interim or "holding" zoning designation for newly annexed lands, pending the availability of urban services and/or the completion of town land use and zoning studies leading to other recommended zoning classifications.

## 5.1.2 Use Regulations

Uses are allowed in the R-E District in accordance with the following table. A "P" in the second column of the table indicates that the use is permitted by-right, subject to compliance with all applicable standards of this Zoning Ordinance. An "S" in the second column of the table indicates that the use may be allowed if reviewed and approved in accordance with the Special Exception procedures of <a href="Sec. 3.4">Sec. 3.4</a>. For a summary of uses permitted in all districts, see the Use Table in <a href="Sec. 9.2">Sec. 9.2</a>.

R-E Uses						
Use		Use Standards	Definition			
Agricultural Uses						
Farming	Р		Sec. 18.1.63			
Nursery	Р		Sec. 18.1.119			
Commercial Uses						
Bed and breakfast inn	S		Sec. 18.1.16			
Child care center	S		Sec. 18.1.29			
Country club	Р		Sec. 18.1.40			
Emergency care facility	S		Sec. 18.1.58			
Golf course	Р		Sec. 18.1.72			
Golf driving range	S		Sec. 18.1.71			
Home occupation	Р		Sec. 18.1.80			
Kennel	S	Sec. 9.3.12	Sec. 18.1.88			
Nursery	S		Sec. 18.1.119			
Recreation facility	S	Sec. 9.3.21	Sec. 18.1.156			
Stable	Р		Sec. 18.1.176			
Telecommunications Facility: Small Cells and/or Distributed Antenna Systems (DAS)	P/S	Sec. 9.3.26.F	Sec. 18.1.174.1			
Temporary Land-Based Telecommunications Testing Facility	Р	Sec. 9.3.26.E				
Veterinary hospital	S	Sec. 9.3.30	Sec. 18.1.198			
Institutional and Community Service Uses						
Cemetery	S		Sec. 18.1.28			
Club	S		Sec. 18.1.30			



R-E Uses						
Fire and/or rescue facility	Р		Sec. 18.1.64			
Golf Course	Р		Sec. 18.1.72			
Library	Р		Sec. 18.1.89			
Nursing home	S	Sec. 9.3.17	Sec. 18.1.120			
Park, public	Р					
Place of worship	S		Sec. 18.1.141			
Recreation facility	Р	Sec. 9.3.21	Sec. 18.1.156			
School, general education	S		Sec. 18.1.162			
School, public	Р		Sec. 18.1.163			
U.S. Postal Service	S		Sec. 18.1.147			
Residential Uses						
Accessory dwelling unit	S	Sec. 9.4.1	Sec. 18.1.5			
Group home	Р		Sec. 18.1.74			
Single-family detached dwelling	Р		Sec. 18.1.171			

## 5.1.3 Density/Intensity and Dimensional Standards

All development in the R-E District shall be subject to the following standards (See also Article 10):

	R-E District Standards				
A.	Minimum Lot Area (acres)				
	All Development	3			
B.	Minimum Lot Width (feet)				
	Interior Lot	200			
	Corner Lot	225			
C.	Minimum Yards/Setbacks (feet)				
	Front	30			
	Side	20			
	Rear	30			
D.	Maximum Building Height (feet)				
	All Development	35[1]			

<sup>[1]</sup> Maximum height for a place of worship may exceed 35 feet when allowed by a special exception approved by the Town Council in accordance with the procedures of Sec. 3.4 Special Exceptions.



# **Article 9 Use Regulations**

#### **9.3.12 Kennels**

- **A.** There shall be a minimum lot size requirement of two (2) acres, and any structure used for the confinement, care or breeding of animals shall be located at least 200 feet from adjoining lot lines.
- **B.** All such animals shall be kept in pens designed and maintained for humane and secure confinement.
- **C.** In consideration of an application for a permit, the Town Council shall take into account the number and kinds of animals proposed to be kept and the characteristics thereof and may impose additional conditions. Back to Top

## 9.3.17 Nursing Homes

A nursing home shall be designed to accommodate service vehicles with access to the building at a side or rear entrance. Back to Top

#### 9.3.21 Recreation Facilities

- **A.** No building used for or in conjunction with a recreation facility shall be located within fifty (50) feet of any property line except within the Crescent Design District.
- **B.** All lighting fixtures used to illuminate outdoor areas shall be designed to avoid glare in surrounding areas. The facility shall be lit only during the hours that the facility is open for business, except for necessary security lighting.
- **C.** A lighting plan shall be submitted to verify that all lighting fixtures are directed onto the site, and will not impact adjacent properties or roadways.
- **D.** The hours of operation for outdoor recreation facilities shall not exceed 7 a.m. to 11 p.m.
- **E.** Outdoor recreation facilities shall be located and screened to minimize impact on adjacent properties.
- **F.** Indoor recreation facilities shall be soundproofed to prevent noise levels from exceeding 55 dB (A) (SLOW meter response) at the property line of any lot containing a residential use.
- **G.** Within the Crescent Design District all recreation facilities must be completely enclosed within a building. Back to Top

#### 9.3.26 Telecommunication Facilities

All future telecommunications structures, including transmission lines, should be placed underground per the Town's under grounding policy if possible. The following standards have been established to permit the establishment of telecommunications facilities above ground if under grounding is not feasible in a manner that minimizes the visual impact of towers through careful siting, design, and screening; reduces the potential for damage to



adjacent properties caused by tower failure or falling ice; and maximizes the use of any transmission towers and structures through the promotion of co-location so as to minimize the need to construct new towers.

The standards of this section shall apply to all telecommunication uses and structures as provided below.

#### A. Standards Applicable to all Telecommunications Facilities:

- 1. No commercial advertising or signs shall be allowed on a tower or monopole, including manufacturer's logo or brand name.
- 2. Signals or lights or illumination shall not be permitted on any antenna, tower or monopole unless required by the Federal Communications Commission, the Federal Aviation Administration, State or Federal authorities, or the Town. When signals or lights are required, shields shall be installed that screen the signals or lights from ground view.
- 3. The related unmanned equipment structure(s) shall not contain more than seven hundred fifty (750) square feet of total gross floor area on each site. Structures shall not exceed twelve (12) feet in height. If located within the structure upon which the antennas are mounted, they may be located in the areas which are excluded from the determination of net floor area without changing the exclusion of those areas from the calculation of the density of the structure. The structure shall be of a material or color which matches the exterior of the building or structure.
- 4. Equipment buildings located on the grounds shall meet the minimum yard requirements of the zoning district where located.
- 5. Satellite and microwave dish antennas shall not exceed one and eight tenths (1.8) meters or six (6) feet in diameter.
- 6. A security fence at least six (6) foot high shall completely surround the tower (and guy wires if used) and equipment building. It shall be constructed in colors and materials to blend into the immediate surrounding environment.
- 7. All equipment and facilities from a telecommunications facility site shall be removed within ninety (90) days of cessation of telecommunications use and the site shall be restored as closely as possible to its original condition.
- **B.** Antennas. Roof top mounted dipole/whip or panel antennas and related unmanned equipment may be installed in those districts where permitted subject to the minimum standards provided below. Note that these provisions do not apply to antenna installed on utility transmission towers. (See power-mount facilities in C. below):
  - 1. Such antennas and related equipment may exceed the maximum building height limitations, provided the use is in accordance with the development criteria herein.
  - 2. Dipole or whip antennas shall not exceed twenty (20) feet in height or seven (7) inches in diameter and shall be of a material or color which matches the exterior of the building or structure.
  - 3. Directional or panel antennas shall not exceed five (5) feet in height or two (2) feet in width and shall be of a material, color, or finish that minimizes the visual impact of the structure and emulates the exterior of the building or structure on which it is mounted.



- 4. Equipment structures located on the roof of a building shall not occupy more than twenty-five (25%) percent of the roof area.
- 5. Antennas and related unmanned equipment are permitted in any zoning district on buildings and structures owned or controlled by a federal, state, county, or Leesburg Town governmental unit.
- 6. Structures upon which an antenna is mounted/co-located, that were not constructed solely or primarily to support antennas, shall not be deemed to be a telecommunications facility per Sec 6409(a) of the Spectrum Act.
- C. Monopoles and Power Mount Facilities. Monopoles, Power Mount Facilities (antenna mounted on utility transmission towers) and related unmanned equipment may be developed subject to the standards below to the extent permitted by special exception and with Commission Permit in the districts where permitted.
  - The Applicant shall demonstrate to the satisfaction of the Zoning Administrator that there is not an existing alternative structure which will reasonably meet the engineering and service needs of the proposed telecommunications facility.
  - 2. The height of such monopole shall not exceed one hundred fifty (150) feet, including antennas. Power Mount Facilities may exceed 150 feet in height if the existing transmission tower exceeds 150 feet and the height of the facility is approved as part of the special exception.
  - 3. All lots where a monopole facility is located shall comply with the required setbacks in the underlying zoning district between the base of the tower, accessory structures and uses, and guy anchors to all property lines as well as the following setback requirements:
    - a. The minimum setback between monopoles and all property lines shall be a distance equal to fifty percent (50%) of the height of the tower, or the minimum required setback of the district, whichever is greater.
    - b. Monopoles shall be setback a minimum of 50 feet from any existing or planned right-of-way; and
    - c. Monopoles shall be set back a minimum of 100 feet, or fifty percent (50%) of the tower height, whichever is greater, from the lot line of any adjacent residential use or district.
  - 4. Unless otherwise required by the Federal Communications Commission or the Federal Aviation Administration, monopoles shall be designed to minimize visibility through materials, colors, or other camouflage techniques.
  - 5. No monopole shall be located within one-half mile of the H-1 Overlay District within the Town.
  - 6. No monopole shall be located within a PRN or PRC District.
  - 7. New telecommunications monopoles shall be designed to accommodate at least three (3) providers. The applicant shall identify the conditions under which future co-location by other service providers are permitted. Co-location may be waived if the Town Council determines, based on substantial evidence produced by the applicant at the time of application, that:



- a. The accommodation would cause the size of the monopole to significantly exceed the size of existing towers in the area resulting in an unnecessary visual impact on the surrounding area; or
- b. There exists valid technological or physical justification making co-location impossible.
- c. The Federal Communications Commission (FCC) has issued a written statement that no more licenses for those broadcast frequencies that are eligible to use the monopole will be issued in the foreseeable future.
- 8. The monopole shall be designed and constructed to all applicable standards of the American National Standards Institute, ANSI/EIA-222-E manual, as amended. All applications for development of a monopole facility shall verify compliance with these standards.
- A soil report compliant with the standards found in Appendix I: Geotechnical Investigations, ANSI/EIA-222-E, as amended, shall be submitted to the Town, sealed by a registered soils engineer, to document and verify the design specifications of the foundation for the monopole, and anchors for guy wires if used.
- 10. Monopoles and antenna shall be designed to withstand wind gusts of up to 100 miles per hour.
- D. Transmission towers. Transmission Towers (free-standing or guyed lattice-type towers) with related unmanned equipment may be developed in those districts where permitted when approved by special exception and with Commission Permit and the minimum standards provided below:
  - The Applicant shall demonstrate to the satisfaction of the Zoning Administrator that there is not an existing alternative structure which will reasonably meet the engineering and service of the proposed telecommunications facility.
  - 2. The height of such tower shall not exceed one hundred fifty (150) feet, including antennas.
  - 3. All lots where a transmission tower facility is located shall comply with the required setbacks in the underlying zoning district between the base of the tower, accessory structures and uses, and guy anchors to all property lines as well as the following setback.
    - a. The minimum setback between transmission towers and all property lines shall be a distance equal to fifty percent (50%) of the height of the tower, or the minimum required setback of the district, whichever is greater.
    - b. Transmission towers shall be setback a minimum of fifty (50) feet from any existing or planned right-of-way, and
    - c. Transmission towers shall be set back a minimum of one hundred (100) feet, or fifty percent (50%) of the tower height, whichever is greater, from the lot line of any adjacent residential use or district.
  - 4. No tower shall be located within one-half mile of the boundary of the H-1 Overlay District within the Town.
  - 5. No tower shall be located within a PRN or PRC District.
  - 6. New Transmission Towers shall be designed to accommodate at least three



- (3) providers. The applicant shall identify the conditions under which future colocation by other service providers are permitted. Co-location may not be required when the Town Council determines based on substantial evidence produced by the applicant that.
- a. Doing so would cause the size of the tower to significantly exceed the size of existing towers in the area and would create unnecessary visual impact on the surrounding area; or
- No additional need is anticipated for any other potential user in the vicinity;
   or
- c. There is valid technological or physical justification as to why co-location is not possible.
- d. The Federal Communications Commission (FCC) has issued a written statement that no more licenses for those broadcast frequencies that are eligible to use the tower will be issued in the foreseeable future
- 7. The transmission tower shall be designed and constructed to all applicable standards of the American National Standards Institute, ANSI/EIA-222-E manual, as amended. All applications for development of a transmission tower facility shall verify compliance with these standards.
- 8. A soil report compliant with the standards found in Appendix I: Geotechnical Investigations, ANSI/EIA-222-E, as amended, shall be submitted to the Town, sealed by a registered soils engineer, to document and verify the design specifications of the foundation for the transmission tower, and anchors for quy wires if used.
- 9. Transmission towers and antenna shall be designed to withstand wind gusts of up to one hundred (100) miles per hour.

# E. Temporary and Mobile and Land Based Telecommunication Testing Facilities

Temporary and Mobile and Land Based Telecommunication Testing Facilities consisting of antennas and related equipment may be permitted in any zoning district subject to the following performance standards:

- 1. A temporary special permit may be issued by the Zoning Administrator for a period not to exceed six (6) months, provided, however, that the Zoning Administrator may approve an extension for up to an additional six (6) months upon written request by the applicant, submitted prior to the expiration date which documents the need for further testing.
- Such temporary use must comply with all federal, state and county regulations, including but not limited to regulations by the Federal Aviation Administration, the Federal Communications Commission and the Environmental Protection Agency.
- 3. The temporary testing equipment for the antenna shall be located either in an existing structure or in a construction trailer or in a "cell on wheels trailer" with a valid zoning permit. No construction trailer shall be located in any required parking space.
- 4. Any clearing or grading of a site for the installation of the construction trailer or antenna shall be the minimum necessary for the proposed use, but in no event shall the disturbed area, excluding an access road, exceed 5,000 square feet




- in area. The permit shall include a condition requiring that any disturbed area be restored as close as possible to its original condition.
- 5. If an existing structure does not provide sufficient height for the antenna, the applicant may erect a temporary pole not to exceed one hundred (100) feet in height.
- 6. There shall be not more than two (2) vehicles parked on the site at any time. The Zoning Administrator shall require that the use will be appropriately screened from adjacent properties and may require the addition of plantings or the retention of existing vegetation. Back to Top
- F. Distributed Antenna Systems (DAS) and/or Small Cells. Distributed Antenna Systems (DAS) and/or Small Cells with related unmanned equipment may be installed on non-residential buildings or structures, existing or replacement of existing utility distribution poles or existing or replacement of existing light standards in those zoning districts where permitted by right with the minimum standards provided below. Failure to meet any one, or more, use standards shall require special exception review and approval in accordance with Section 3.4 Special Exceptions.

Permissible antenna types in a DAS or Small Cell application include: 1.) omnidirectional/whip antennas; 2.) panel antennas; and 3.) antennas enclosed in a cylinder subject to the following minimum use standards:

- Local Collector Rights-of-Way: Utility distribution pole installations, where permitted, shall be limited to the rights-of-way of roads having a Local Collector classification or higher on the Roadway Network Policy Map in the Leesburg Town Plan.
- 2. Camouflage: Every effort shall be made by the applicant to utilize stealth and/or camouflage technologies/techniques on each DAS/Small Cell node and all appurtenant ground-mounted, pole-mounted and/or roof-mounted equipment in order to minimize or eliminate potential visual impacts on surrounding properties. Examples of stealth solutions include, but are not limited to, the following:







In any instance where stealth and/or camouflage technologies cannot by employed, the applicant shall provide evidence satisfactory to the Zoning Administrator justifying why it is impossible to employ such measures.

#### 3. Maximum size and Height for Roof-Mounted Small Cell and/or DAS:

- a. Any antennas used in a Small Cell application shall not exceed 60"Hx24"Wx8"D.
- b. Any DAS node antenna shall not exceed six feet (6') in height or thirty inches (30") in diameter.
- c. Overall height of any roof-top or building mounted Small Cell or DAS antennas with supports shall not exceed 10 feet in height above the top of parapet for flat-roofed buildings or the roofline of pitched roof buildings unless an acceptable stealth solution is used, and approved by the Zoning Administrator and/or the BAR, when applicable, that is architecturally suitable and effectively camouflages the facility from adjacent properties. Examples include, but are not limited to, the follow types of stealth solutions:











- 4. **Maximum Number:** There shall be a maximum of three (3) omnidirectional/whip antennas, or panel antennas, or any number of antennas within a single canister enclosure on any single utility pole or light standard.
- 5. **Maximum Extension:** Antennas shall be mounted so that the antenna with supporting mount does not extend more than eight and one-half (8 ½) feet above the existing utility pole or light standard or one (1) foot from the utility pole or light standard.
- 6. Maximum Replacement Pole Height/Dimeter: The height of a replacement utility distribution pole or light standard, including antennas, shall not exceed sixty-four (64) feet in height. The dimeter of a replacement utility distribution pole or light standards shall not exceed eighteen (18) inches. The height of the light fixture shall not be higher than the height of the fixture prior to the replacement of the light standard.
- 7. **Ground-Mounted Equipment:** When appurtenant equipment cabinets are located on the ground in any yard or street right-of-way, the following minimum standards shall apply:
  - a. No ground-mounted equipment associated with any antenna nodes shall be permitted on the property of, or in the right-of-way in front of, a residential use:
  - b. Ground-mounted equipment may be permitted inside of the Route 7/15 Bypass when an acceptable stealth solution is used, and approved by the Zoning Administrator and/or the BAR, when applicable, that is architecturally suitable and effectively camouflages the facility from adjacent properties. Examples include, but are not limited to, the following types of stealth solutions:





Ground-mounted equipment appurtenant to power-mounted facilities on existing electric transmission poles shall be permitted when in accordance with Sec. 9.3.26.A.3 <u>Standards Applicable to all Telecommunications</u> Facilities;

- c. Any ground-mounted equipment cabinet shall not exceed five (5) feet in height or a total of seventy (70) cubic feet in volume, except within the H-1 Overlay where the maximum volume shall be limited to twenty (20) cubic feet;
- d. Any ground-mounted equipment cabinet shall be located a minimum of ten
   (10) feet from all lot lines when located outside of a street right-of-way;
- e. Any ground-mounted equipment cabinet shall be located so as not to obstruct any applicable sight distance and/or visibility standards required by the Town or the Virginia Department of Transportation;
- f. Any ground-mounted equipment installed within a public right-of-way shall be located so as to provide a minimum of four (4) feet of clearance along the sidewalk in order to maintain adequate pedestrian circulation;
- g. Any Small Cell and/or DAS equipment installed at ground level internal to a light pole as part of a stealth solution will be considered to be groundmounted.
- 8. **Maximum Roof Area:** Roof-mounted antennas or equipment related to DAS/Small Cells shall not occupy more than 25% of the area of the roof.
- Lighting Prohibited: Unless otherwise required by the Federal Communications Commission or the Federal Aviation Administration, no articifical lighting shall be permitted.
- 10. **Advertising Prohibited:** No advertising of any type may be placed on the facility.
- H-1 and H-2 Review Required: Any Small Cell and/or DAS application proposed in the H-1 or H-2 Overlays shall require a Certificate of Appropriateness from the Board of Architectural Review.



12. **Removal of Abandoned Equipment:** All antennas and related unmanned equipment shall be removed within ninety (90) days after such antenna or related unmanned equipment are no longer in use. <u>Back to Top</u>

## 9.3.30 Veterinary Hospitals

All such facilities shall be within a completely enclosed building. The building shall be adequately soundproofed and constructed so that there will be no emission of odor or noise detrimental to other properties in the area. <u>Back to Top</u>

## 9.4.1 Accessory Dwelling Units

- **A. Maximum Floor Area.** The maximum square footage of an accessory dwelling unit shall be limited to fifty percent (50%) of the total square footage of the principal structure or nine hundred (900) square feet, whichever is less.
- **B. Maximum Building Coverage.** The combined area of the lot covered by the principal and accessory dwelling units shall not exceed seventy (70%) percent of the lot area
- **C. Number.** No more than one accessory dwelling unit shall be permitted in conjunction with a principal dwelling unit or building.
- **D. Density.** The district density shall not be affected by the development of an accessory dwelling unit.
- **E. Separate Facilities.** Cooking and sanitary facilities shall be provided in each dwelling unit. Shared facilities shall not be permitted.
- **F.** Basement and Cellar Dwelling Units. Basement or cellar dwelling units shall be permitted only if all exterior walls of the dwelling unit are at least four (4) feet above the average finished grade level of the adjoining ground.
- G. Single-family Appearance. Except for dwellings located in a building containing commercial or office uses, the appearance of a single-family dwelling unit shall be maintained for the converted structure. No more than one entrance shall be located on the front facade of the building unless the building was originally designed with more than one entrance on the front. Additional entrances shall be placed on the side or rear of the structure. Fire escapes shall be placed unobtrusively on the side or rear of the structure. Back to Top

# **Article 18 Definitions**

#### 18.1.5 Accessory Dwelling

A dwelling or apartment within or detached from the principal dwelling of no more than 900 square feet, the use of which is associated with and subordinate to the principal dwelling and which is located upon the same lot as the principal dwelling. Back to Top



#### 18.1.16 Bed and Breakfast

Overnight accommodations and a morning meal provided in a single family detached residence that is owner or manager occupied, in which five (5) or fewer rooms without cooking facilities are rented to transient guests. Bed and Breakfast located in a commercial zoning district may have weddings, receptions and business meetings as an ancillary use. Back to Top

#### **18.1.28 Cemetery**

Any land or structure used or intended to be used for the interment of human remains. The sprinkling of ashes or their burial in a biodegradable container on church grounds or their placement in a columbarium on church property shall not constitute the creation of a cemetery. Back to Top

#### 18.1.29 Child Care Center

An establishment which is licensed or approved to operate as a child care center in the Commonwealth of Virginia by the Virginia Department of Social Services, that enrolls two or more children under the age of 13 in a facility that is not the residence of the provider, or of any of the children in care, or 13 or more children at any location for whose care tuition, fees or other forms of compensation are charged. A child care center may include nursery schools, kindergartens. Other facilities for which the purpose is primarily educational, recreational or medical treatments that are not exempt from licensure by the Virginia Department of Social Services, and child day centers operated by religious institutions exempt from licensure are considered Child Care Centers. Back to Top

#### 18.1.30 Club

A facility where the principal purpose is for members of associations or organizations, such as but not limited to fraternal organizations, to meet to pursue common goals, interests or activities and usually characterized by certain membership qualifications, payment of fees and dues, regular meetings, and a constitution and by-laws. "Club" shall not include night clubs or other institutions operated as a business. Back to Top

#### 18.1.40 Country Club

Facility providing recreational facilities, including a clubhouse, golf course and other recreation facilities, open only to members and their guests for a membership fee.

#### Back to Top

## 18.1.58 Emergency Care Facility

A facility staffed by medical professionals exclusively for short-term treatment of injury or illness on an out-patient basis. Back to Top

#### **18.1.63 Farming**

The production, keeping, maintenance, sale, lease or personal use of plants and animals useful to man, but not to include feedlots and chicken farms. Back to Top

#### 18.1.64 Fire and/or Rescue Facility

A facility including the storage of fire and/or rescue equipment and chartered by the Town of Leesburg and the Code of Virginia, which provides for the protection of life and property from the hazards of fire or explosions wherever located. For the purposes of this Zoning Ordinance, a fire and/or rescue facility shall not include a burn building. Back to Top



## 17.1.71 Golf Driving Range

A practice range for hitting golf balls from a common tee-off area, and for purposes of this Zoning Ordinance, not operated in conjunction with a golf course or country club.

## Back to Top

#### **18.1.72 Golf Course**

Land, whether publicly or privately owned, on which the game of golf is played, including accessory uses such as golf driving ranges and buildings customary thereto. Back to Top

## **18.1.74 Group Home**

A residential facility in which no more than eight (8) mentally ill, mentally retarded or developmentally disabled persons reside, with one or more resident counselors or other staff persons. A residential facility shall be deemed a group home when the Department of Mental Health, Mental Retardation and Substance Abuse Service is the licensing authority. For the purposes of this Zoning Ordinance, persons in a group home shall not be deemed a family. Back to Top

## 18.1.80 Home Occupation

A business, profession, occupation or trade conducted for gain or support within a residential building or its accessory buildings by a resident of the dwelling which use is incidental and secondary to the use of the buildings for dwelling purposes and which does not change the residential character of such buildings. (See <a href="Article 9">Article 9</a> for Home Occupation standards). <a href="Back to Top">Back to Top</a>

#### 18.1.88 Kennel

Any place or establishment, in which dogs and other domestic animals are kept, boarded or bred for a fee. Back to Top

#### 18.1.89 Library

Structure, either publicly or privately owned, used for collection and storage of books, periodicals, and similar materials, and providing facilities for reading, research and/or borrowing of the collected materials. <u>Back to Top</u>

## **18.1.116 Nursery**

An agricultural/commercial enterprise where plants and accessory products are sold on a retail basis. Twenty-five percent (25%) of the gross sales receipts of the commercial nursery must be derived from plants produced on site; or twenty-five (25%) of the area designated as a commercial nursery shall be dedicated to the cultivation of plants to be sold on-site. Back to Top

## **18.1.119 Nursery**

An agricultural/commercial enterprise where plants and accessory products are sold on a retail basis. Twenty-five percent (25%) of the gross sales receipts of the commercial nursery must be derived from plants produced on site; or twenty-five (25%) of the area designated as a commercial nursery shall be dedicated to the cultivation of plants to be sold on-site.

Back to Top



## **18.1.120 Nursing Home**

An extended or intermediate care facility licensed or approved by the Commonwealth of Virginia to provide full-time convalescent or chronic care to individuals who, by reason of advanced age, chronic illness or infirmity are unable to care for themselves. <u>Back to Top</u>

#### 18.1.141 Place of Worship

A structure or part thereof which is intended for organized religious services including but not limited to a church, synagogue, or temple. <u>Back to Top</u>

## 18.1.147 Principal Use

The primary or predominant use of any lot. Back to Top

## **18.1.156 Recreation Facility**

A facility offering or providing recreational activities. A recreational facility may include, but not be limited to a tennis court, racquetball court, basketball court, swimming pool, gymnasium, exercise and weight room facilities. Recreation facilities may offer non-recreational programs for children such as after-school programs, day camps, tutoring, etc. as an accessory use, provided that such program is exempt from licensure by the Virginia Department of Social Services as a child care center as provided by § 63.2-1715 of the code of Virginia. Recreational facilities may operate child care centers as an accessory use provided that they are licensed by the Virginia Department of Social Services as a child care center and Town of Leesburg Zoning Ordinance Sections 9.2, 9.3.4 and Section 3.4 if applicable. Back to Top

## 18.1.162 School, General Education

A parochial or private school giving regular instruction during a normal school year.

#### Back to Top

#### 18.1.163 School, Public

An educational institution operated by a duly constituted governmental entity. Back to Top

#### 18.1.171 Single-Family Detached Dwelling

The use of a single lot for a dwelling that is not attached to any other dwelling by any means. Back to Top

#### 18.1.174.1 Small Cell

A compact, low-powered short-range mobile phone base station deployed to alleviate wireless network congestion and/or to address gaps in wireless network coverage in limited areas with a concentrated population of wireless device users such as, but not limited to, malls, hotels, transportation hubs, campuses, stadiums, etc. Any stealth or camouflage deployments in faux exterior building additions will not be considered interior antenna deployments. All applicable regulations pertaining to such exterior installations shall apply. Back to Top

#### 18.1.176 Stable

A facility for the keeping of horses for the private use of the residents of the lot. Such facility may include the commercial boarding of ten (10) or fewer horses and no more than one (1) instructor engaged for the purpose of educating and training students in horsemanship.

Back to Top

#### **18.1.198 Veterinary Hospital**

A facility where animals or pets are given medical or surgical treatment and the boarding of animals is limited to short-term care incidental to the hospital use. <u>Back to Top</u>

